

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5465288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L2	2	"6144849".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L3	2114	simulat\$6 same printing same (job or process or model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L4	498	simulat\$6 same (printing adj (job or process or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L5	3	L4 and (selection adj criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L6	17	L4 and ((graphical adj user adj interface) or GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L7	16	L6 not L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L8	2	("0000703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 13:55
L9	903	(703/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 13:55
L10	10886	("703").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 13:55

## EAST Search History

L11	49	L10 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L12	1	L3 and (enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L13	24	(enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L14	36	(print\$4 near3 configuration) same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L15	36	plac\$4 near3 print\$3 near3 device\$1 near3 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L16	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L17	76	simulat\$4 near3 (printing adj presses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L18	0	graphical near3 (print\$3 adj press\$4) near3 configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L19	0	(enterprise near3 managment) and (printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L20	484	(printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L21	12	L20 and (order adj sets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L22	2	(process adj data adj set) same (order\$3 adj data adj set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L23	184	(simulated near3 process near3 flows)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L24	10	L23 and (printing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L25	18	L23 and graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L26	12	L25 not L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L27	2	simulat\$5 same process same flow\$1 same graphic\$1 same industry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L28	504	link same print\$4 same job same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L29	52	L28 and simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L30	325	network same configuration same simulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L31	5	L30 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L32	2	(computerized near3 model) and (printing near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L33	988	(computerized near3 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L34	0	L33 and (printing near3 plants)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L35	487	L33 and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L36	24	L35 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L37	28	(virtual or simulat\$5) near3 (assembly adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L38	1	"6983232".pn. and (print\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L39	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L40	0	"6983232".pn. and (attribute same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L41	0	"6983232".pn. and (attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L42	0	"6983232".pn. and (property\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L43	0	"6983232".pn. and (feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L44	201	GUI same (size near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L45	8	GUI same (size near3 object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L46	0	L45 same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L47	1	L45 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L48	24	enterprise adj dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L49	360	INCONTROL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L50	7	L49 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L51	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L52	0	"6983232".pn. and (input\$5 same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L53	1	"6983232".pn. and (input\$5 same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L54	1	"6983232".pn. and (input\$5 same database) and ((default near3 data) same (base near3 case))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L55	1	"6983232".pn. and (input\$5 same database) and (default near3 data) and (base near3 case)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L56	2	"20040117399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L57	0	"20040117399".pn. and spreadsheet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L58	0	"20040117399".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L59	1	"6983232".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L60	1	"6983232".pn. and (measure near3 performance) and (customer near3 needs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L61	1	((printing adj jobs) near3 input) same (print\$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L62	4	((printing adj jobs) near3 input) and (print\$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L63	0	"6983232".pn. and (test near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L64	1	"6983232".pn. and (test same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L65	2	"20040117399".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L66	1	"20010034592".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L67	1	"20010034592".pn. and ((input or test or default) same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L68	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L69	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L70	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L81	0	L80 and ((graphical near3 user near3 interface) and (drag near3 drop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L82	125	L80 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L83	0	(salesman or consultant) same ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L84	0	(salesman or consultant) and ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L85	0	(salesman or consultant) and (print near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L86	8	(salesman or consultant) and (print\$4 near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L87	0	"6983232".pn. and (ranking same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L88	1	"6983232".pn. and ((rank\$5 or compar\$5) same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L89	3	link\$4 same (process near3 data near3 set) same (order near3 data near3 set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L90	3	(configur\$5 near3 (print\$5 adj device)) same simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55



## EAST Search History

L91	0	(print near3 job) same (print\$5 near3 (press or device or machine or object or plant)) same (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L92	0	(print near3 job) and (print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L93	121	(print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L94	36	L93 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L95	9	L94 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L96	36	L93 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L97	0	L96 not L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L98	3	(print\$5 near3 (press)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L99	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L100	0	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface)) and (input same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L71	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator) and (simulat\$ near3 print near3 (job or cycle or test))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L72	0	"20040117399".pn. and (best near3 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L73	1	"20040117399".pn. and (best same link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L74	1	"20040117399".pn. and (best same link\$6) and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L75	9	link same (print\$4 near3 (test or input or job or cycle)) same (machine near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L76	0	L75 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L77	0	((((test or default) near3 input) same selected same (used or applied or (run near3 through) or (ran near3 through))) same ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L78	938	((((test or default) near3 input) and selected and (used or applied or (run near3 through) or (ran near3 through))) and ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L79	1	L78 and ((printing adj press) or (graphics adj industry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L80	127	L78 and ((print\$5 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L101	1	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L102	0	"6108662".pn. and L84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L103	0	"20010034592".pn. and (rank\$5 near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L104	0	"20010034592".pn. and (rank\$5 same results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L105	0	"20010034592".pn. and rank\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L106	0	"20010034592".pn. and (compare near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L107	1	"20040117399".pn. and (create near3 process near3 flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L108	1	"20040117399".pn. and (create near3 process near3 flow) and (create same process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L109	1	"6983232".pn. and (calculate or function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L110	2	"20040117399".pn. and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L111	2	"20040117399".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L112	1	"6983232".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L113	1	"6983232".pn. and (process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L114	1	"20010034592".pn. and input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L115	1	"20010034592".pn. and input\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L116	2	"20010034592".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L117	1	"6108662".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L118	1	"6144849".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L119	1	"6983232".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L120	28	simulation same (size or dimension or area or mass or measur\$5) same (machine or object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L121	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L122	1	"6983232".pn. and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L123	4844	(test near3 data) same (simulat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L124	68	L123 same (graphics or (print\$4 near3 industry) or (print\$4 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L125	2	"20010034596".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L126	0	"20010034596".pn. and (view\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L127	21604	(size near3 dimensions) same associated same printing press same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L128	0	(size near3 dimensions) same associated same (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L129	0	(size near3 dimensions) same associated and (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L130	24	(size near3 dimensions) same associated and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L131	6	((size near3 dimensions) same associated) and (printing near3 press) and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L132	5	((size near3 dimensions) same associated) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L133	4	(simulation near3 object) same label\$4 same (size or dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L134	24	((size near3 dimensions) same associated) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L135	2510	dimensions same minimum same required same machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L136	9	L135 same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L137	13	display same dimensions same object same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L138	1	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L139	13	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L140	53	(assembly near3 line) near3 simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L141	0	L140 and (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L142	40	(spatial near3 dimensions) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L143	10	(spatial near3 dimensions) and (room near3 (design or arrangement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L144	110	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L145	4	(associated near3 (dimensions or measurements or (spatial adj dimensions))) same (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L146	24	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press) and simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L147	23	L146 not L145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L148	0	"6983232".pn. and floorspace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L149	1	"6983232".pn. and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L150	0	floor space same (used or (taken\$up) or consumed or utilized) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L151	0	floorspace same (used or (taken\$up) or consumed or utilized) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L152	100	floorspace same (used or (taken\$up) or consumed or utilized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L153	0	simulat\$4 and (room adj design) and (spatial near3 furniture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L154	10	(data near3 set) same contains same (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L155	0	L154 and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L156	1	(spatial near3 dimensions) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L157	785	(size or measurements) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L158	274	L157 same (print\$4 or (printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L159	5	L157 same ((printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L160	36379	(printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55



## EAST Search History

L161	698	L160 same (size near5 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L162	7	L161 same (displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L163	266	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same (size or width or length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L164	7	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same ((actual or real) near3 (size or width or length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L165	18	retrieve same machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L166	311	machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L167	2	"20030018542".pn. and (specification near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L168	0	(compare near3 test near3 data) same (machine-near3 object) same rank same assign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L169	0	"20040117399".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L170	1	"6983232".pn. and ((cost or expense) same time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L171	938	((test or default) near3 input) and selected and (used or applied or (run near3 through) or (ran near3 through)) and ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L172	127	L171 and ((print\$5 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L173	0	L172 and ((graphical near3 user near3 interface) and (drag near3 drop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L174	10886	("703").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 13:55
L175	0	(print near3 job) same (print\$5 near3 (press or device or machine or object or plant)) same (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L176	0	(print near3 job) and (print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L177	484	(printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L178	184	(simulated near3 process near3 flows)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L179	18	L178 and graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L180	325	network same configuration same simulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L181	0	"20010034592".pn. and rank\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L182	0	"20010034592".pn. and (compare near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L183	4844	(test near3 data) same (simulat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L184	0	"20010034596".pn. and (view\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L185	2	"20010034596".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L186	0	(size near3 dimensions) same associated same (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L187	0	(size near3 dimensions) same associated and (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L188	24	(size near3 dimensions) same associated and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L189	110	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L190	504	link same print\$4 same job same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L191	1	"20040117399".pn. and (best same link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L192	1	"20040117399".pn. and (best same link\$6) and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L193	498	simulat\$6 same (printing adj (job or process or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L194	17	L193 and ((graphical adj user adj interface) or GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L195	3	L193 and (selection adj criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L196	16	L194 not L195	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L197	2114	simulat\$6 same printing same (job or process or model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L198	49	L174 and L197	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L199	1	"6983232".pn. and ((rank\$5 or compar\$5) same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L200	28	(virtual or simulat\$5) near3 (assembly adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L201	8	GUI same (size near3 object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L202	24	enterprise adj dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L203	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L204	2	"20040117399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L205	903	(703/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 13:55
L206	8	(salesman or consultant) and (print\$4 near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L207	0	graphical near3 (print\$3 adj press\$4) near3 configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L208	0	(enterprise near3 managment) and (printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L209	3	link\$4 same (process near3 data near3 set) same (order near3 data near3 set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L210	2	("0000703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/19 13:55

## EAST Search History

L211	3	(configur\$5 near3 (print\$5 adj device)) same simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L212	121	(print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L213	36	L212 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L214	0	"6983232".pn. and (input\$5 same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L215	0	"20040117399".pn. and spreadsheet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L216	0	"20040117399".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L217	0	"6983232".pn. and (test near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L218	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L219	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator) and (simulat\$ near3 print near3 (job or cycle or test))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L220	0	"20040117399".pn. and (best near3 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L221	9	link same (print\$4 near3 (test or input or job or cycle)) same (machine near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L222	0	L221 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L223	0	(((test or default) near3 input) same selected same (used or applied or (run near3 through) or (ran near3 through)) same ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L224	988	(computerized near3 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L225	0	L224 and (printing near3 plants)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L226	487	L224 and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L227	9	L213 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L228	0	"6983232".pn. and (attribute same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L229	0	"6983232".pn. and (attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L230	0	"6983232".pn. and (proptert\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L231	0	"6983232".pn. and (feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L232	201	GUI same (size near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L233	0	L201 same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L234	360	INCONTROL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L235	7	L234 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L236	36	L212 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L237	3	(print\$5 near3 (press)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L238	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L239	2	"20040117399".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L240	2	"20010034592".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55



## EAST Search History

L241	2	"20040117399".pn. and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L242	28	simulation same (size or dimension or area or mass or measur\$5) same (machine or object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L243	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L244	68	L183 same (graphics or (print\$4 near3 industry) or (print\$4 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L245	6	((size near3 dimensions) same associated) and (printing near3 press) and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L246	5	((size near3 dimensions) same associated) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L247	4	(simulation near3 object) same label\$4 same (size or dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L248	24	((size near3 dimensions) same associated) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L249	2510	dimensions same minimum same required same machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L250	9	L249 same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L251	13	display same dimensions same object same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L252	13	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L253	40	(spatial near3 dimensions) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L254	10	(spatial near3 dimensions) and (room near3 (design or arrangement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L255	4	(associated near3 (dimensions or measurements or (spatial adj dimensions))) same (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L256	24	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press) and simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L257	23	L256 not L255	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L258	100	floorspace same (used or (taken\$up) or consumed or utilized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L259	10	(data near3 set) same contains same (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L260	785	(size or measurements) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L261	5	L260 same ((printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L262	36379	(printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L263	698	L262 same (size near5 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L264	7	L263 same (displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L265	7	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same ((actual or real) near3 (size or width or length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L266	18	retrieve same machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L267	2	"20030018542".pn. and (specification near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L268	125	L172 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L269	266	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same (size or width or length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L270	1	L171 and ((printing adj press) or (graphics adj industry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L271	311	machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L272	0	(salesman or consultant) same ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L273	0	(salesman or consultant) and ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L274	0	(salesman or consultant) and (print near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L275	0	"6983232".pn. and (ranking same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L276	0	"20010034592".pn. and (rank\$5 same results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L277	0	L236 not L212	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L278	0	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface)) and (input same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L279	53	(assembly near3 line) near3 simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L280	0	L279 and (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L281	0	"20010034592".pn. and (rank\$5 near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L282	0	"6108662".pn. and L273	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L283	1	"20010034592".pn. and input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L284	21604	(size near3 dimensions) same associated same printing press same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L285	0	"6983232".pn. and floorspace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L286	0	floorspace same (used or (taken\$up) or consumed or utilized) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L287	0	floorspace same (used or (taken\$up) or consumed or utilized) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L288	0	simulat\$4 and (room adj design) and (spatial near3 furniture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L289	0	L259 and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L290	1	"6983232".pn. and (input\$5 same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L291	1	"6983232".pn. and (input\$5 same database) and ((default near3 data) same (base near3 case))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L292	1	"6983232".pn. and (input\$5 same database) and (default near3 data) and (base near3 case)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L293	274	L260 same (print\$4 or (printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L294	1	L197 and (enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L295	1	"6983232".pn. and (print\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L296	0	"20040117399".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L297	1	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L298	1	"6144849".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L299	1	"6983232".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L300	1	"6983232".pn. and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L301	1	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L302	1	"6983232".pn. and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L303	0	(compare near3 test near3 data) same (machine near3 object) same rank same assign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L304	1	"6983232".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L305	1	L201 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L306	1	"6983232".pn. and (measure near3 performance) and (customer near3 needs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L307	1	((printing adj jobs) near3 input) same (print\$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L308	1	"6983232".pn. and (test same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L309	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L310	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55

## EAST Search History

L311	1	"6983232".pn. and (process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L312	1	"20010034592".pn. and input\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L313	1	"6108662".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L314	1	"20040117399".pn. and (create near3 process near3 flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L315	1	"6983232".pn. and (calculate or function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L316	1	"6983232".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L317	2	"5465288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L318	1	"20010034592".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L319	1	"20010034592".pn. and ((input or test or default) same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L320	2	"6144849".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55



## EAST Search History

L321	1	(spatial near3 dimensions) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L322	1	"6983232".pn. and ((cost or expense) same time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L323	36	(print\$4 near3 configuration) same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L324	36	plac\$4 near3 print\$3 near3 device\$1 near3 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L325	1	"20040117399".pn. and (create near3 process near3 flow) and (create same process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L326	24	(enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L327	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L328	12	L177 and (order adj sets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L329	2	(process adj data adj set) same (order\$3 adj data adj set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:55
L330	76	simulat\$4 near3 (printing adj presses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56

## EAST Search History

L331	2	simulat\$5 same process same flow\$1 same graphic\$1 same industry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L332	10	L178 and (printing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L333	12	L179 not L332	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L334	52	L190 and simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L335	5	L180 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L336	24	L226 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L337	2	(computerized near3 model) and (printing near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L338	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L339	4	((printing adj jobs) near3 input) and (print\$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56
L340	2	"20040117399".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/19 13:56